

1				
a			15-28	
	≤ 85%			
b			2 × 0.8 × 0.8m	
			680 × 640 × 996mm	
c				
d				
2				
a		AC220V ± 10% 50 ± 1Hz		
b			3KW	
		≤ 500W	10A	
c				
d		500VA		
3				
a	1	5Mpa	≥ 99.5%	
	99.9%			
b	1	5 Mpa	≥ 99.9%	
c	1	5 Mpa	≥ 99.99%	
4		0.1mg	1	1

1				
a			15-28	
	≤ 85%			
b			2 × 0.8 × 0.8m	
			680 × 640 × 996mm	
c				
d				
2				
a	AC220V ± 10%	50 ± 1Hz		
b			3KW	
		≤ 500W	10A	
c				
d		500VA		
3				
a	1	5Mpa	≥ 99.5%	
	99.9%			
b	1	5 Mpa	≥ 99.9%	
4		0.1mg	1	1

§					
▢					
1	▢				
a	§		15-28		
≤ 85%					
b	2 × 0.8 × 0.8m				
		£	£	680 × 640 × 996mm	
c					
d					
2					
a	AC220V ± 10% 50 ± 1Hz				
b	£	3KW			
		≤ 500W		10A	
c					
d	500VA				
3					
a	1	5Mpa	≥ 99.5%		
		99.9%			
b	1	5 Mpa	≥ 99.9%		
c	1	5 Mpa	≥ 99.99%		
4	0.1mg		1	1	

1				
a			15-30	
	≤ 85%			
b			2 × 0.8 × 0.8m	
c				
d				
2				
a	AC220V ± 10%			
b			4.5KW	
		≤ 500W	10A	
c				
d		500VA		
3				
a	1	5Mpa	≥ 99.5%	
	99.9%			
b	1	5 Mpa	≥ 99.9%	
c	1	5 Mpa	≥ 99.99%	
4	0			

1

a

15-30

≤ 85%

b

2 × 0.8 × 0.8m

c

d

2

a

AC220V ± 10%

b

3.5KW

≤ 500W

c

T

d

1

a

15-30

≤ 85%

b